

Addr-EditAddAddressData

```
# "Add Address part of create Contact or add new address to contact "  
Set Field [ kgebaseUserID, CON_KTrue\NAV_KTrue::_gebaseUserID ]  
If [ ebaseUser::_fMayEditAddress = "No" ]  
    Show Message [ Buttons: "OK", "", ""; Data: "You can't do this right now." ]  
    Exit Script  
    Allow User Abort [ Off ]  
End If  
# ""  
# ""  
# ""  
# "Set _gLocationID to the Nav_gLocationID to pull that data into the entry screen below."  
Set Field [ _gLocationID, CON_KTrue\NAV_KTrue::_gLocationID ]  
# "Set the LocationID of the stored ContactLocation record to the current LocationID stored in Nav"  
Set Field [ CON_gContactLocationID\COL_kContactLocationID::kLocationID, CON_KTrue\NAV_KTrue::_gLocationID ]  
Set Field [ _gCurrContactLocationID, _gContactLocationID ]  
# "Set the MakePCL field to the correct value."  
If [ CON_KTrue\NAV_KTrue::_gPCL = PCL::_kPCL ]  
    Set Field [ Sa_CON_gMenu\NAV_kMenu::gMakePCL, "Yes" ]  
Else  
    # " See Bug 4858 - comment out else clause. Not really sure _gPCL actually still is useful"  
    If [ 1 = 2 ]  
        Set Field [ Sa_CON_gMenu\NAV_kMenu::gMakePCL, "" ]  
    End If  
End If  
# "Pull name information from current Contact record and place in globals for use in edit layout. Relationship CON_kTrue~COL_kTrue"  
Set Field [ CON_kTrue\COL_kTrue::gNamePrefix, NamePrefix ]  
Set Field [ CON_kTrue\COL_kTrue::gNameFirst, NameFirst ]  
Set Field [ CON_kTrue\COL_kTrue::gNameMiddle, NameMiddle ]  
Set Field [ CON_kTrue\COL_kTrue::gNameLast, NameLast ]  
Set Field [ CON_kTrue\COL_kTrue::gNameSuffix, NameSuffix ]  
Set Field [ CON_kTrue\COL_kTrue::gNameNickName, NameNickname ]  
Set Field [ CON_kTrue\COL_kTrue::gNameSorter, If(ContactRecordType = "Family" and (NameSortingDefault = ""),  
    _ccParseNameSortingDefault, _ccNameSorter) ]  
Set Field [ CON_kTrue\COL_kTrue::gGreetingPerferred, GreetingPreferred ]  
Set Field [ CON_kTrue\COL_kTrue::gGreetingCustom, GreetingCustom ]  
Set Field [ CON_kTrue\COL_kTrue::gPhoneMobile, PhoneMobile ]  
Set Field [ CON_kTrue\COL_kTrue::gPhoneMobileTextMessage, PhoneMobileTextMessage ]  
Set Field [ CON_kTrue\COL_kTrue::gPhonePager, PhonePager ]  
Set Field [ CON_kTrue\COL_kTrue::gInternetChatID, InternetChatID ]  
Set Field [ CON_kTrue\COL_kTrue::gProfileNote, ProfileNote ]  
Set Field [ CON_kTrue\COL_kTrue::gURL, URL ]  
Set Field [ CON_kTrue\COL_kTrue::gSource, Source ]  
Set Field [ CON_kTrue\COL_kTrue::gContactRecordType, ContactRecordType ]  
Set Field [ CON_kTrue\COL_kTrue::gGroupLabelLine1, GroupLabelLine1 ]  
Set Field [ CON_kTrue\COL_kTrue::gGroupLabelLine2, GroupLabelLine2 ]  
Set Field [ CON_kTrue\COL_kTrue::gLegacyID, LegacyID ]  
# "Now Pull Address specific information from ContactLocation and place in globals for use in edit layout. "  
If [ IsEmpty(CON_gContactLocationID\COL_kContactLocationID::ContactLocationName) ]  
    Set Field [ CON_kTrue\COL_kTrue::gContactLocationName, "New" ]  
Else  
    Set Field [ CON_kTrue\COL_kTrue::gContactLocationName,  
    CON_gContactLocationID\COL_kContactLocationID::ContactLocationName ]  
End If
```

Addr-EditAddIAddressData

```
# " Bug 4859 - this is the wrong relationship, and this script doesn't need to bring over ANY of the colo info.."  
If [ 1 = 2 ]  
    Set Field [ CON_kTrue\COL_kTrue::gFax, CON_kgLocationID\COL_kLocationID::Fax ]  
End If  
  
# "Now Pull Address information from Location and place in globals for use in edit layout. "  
Set Field [ CON_kTrue\COL_kTrue::gAddressLine1, CON_gLocationID\LOC_kLocationID::AddressLine1 ]  
Set Field [ CON_kTrue\COL_kTrue::gAddressLine2, CON_gLocationID\LOC_kLocationID::AddressLine2 ]  
Set Field [ CON_kTrue\COL_kTrue::gCity, CON_gLocationID\LOC_kLocationID::City ]  
Set Field [ CON_kTrue\COL_kTrue::gCounty, CON_gLocationID\LOC_kLocationID::County ]  
Set Field [ CON_kTrue\COL_kTrue::gStateProv, CON_gLocationID\LOC_kLocationID::StateProv ]  
Set Field [ CON_kTrue\COL_kTrue::gZIPPostalCode, CON_gLocationID\LOC_kLocationID::ZIPPostalCode ]  
Set Field [ CON_kTrue\COL_kTrue::gcZIP4, CON_gLocationID\LOC_kLocationID::ZIP4 ]  
Set Field [ CON_kTrue\COL_kTrue::gCountry, CON_gLocationID\LOC_kLocationID::Country ]  
Set Field [ CON_kTrue\COL_kTrue::gGMT, CON_gLocationID\LOC_kLocationID::GMT ]  
Set Field [ CON_kTrue\COL_kTrue::gTimeZone, CON_gLocationID\LOC_kLocationID::TimeZone ]  
Set Field [ CON_kTrue\COL_kTrue::gUTMNorthing, CON_gLocationID\LOC_kLocationID::GEOCODEUTMNorthing ]  
Set Field [ CON_kTrue\COL_kTrue::gUTMEasting, CON_gLocationID\LOC_kLocationID::GEOCODEUTMEasting ]  
Set Field [ CON_kTrue\COL_kTrue::g_USPS_ADC, CON_gLocationID\LOC_kLocationID::USPS_ADC ]  
Set Field [ CON_kTrue\COL_kTrue::gAddressNote, CON_gLocationID\LOC_kLocationID::AddressNote ]  
  
# "Go to the correct Edit layout"  
If [ ContactRecordType="Individual" ]  
    Go to Layout [ EditIndividual ]  
    [ Refresh window ]  
Else  
    If [ ContactRecordType="Family" ]  
        Go to Layout [ EditFamily ]  
        [ Refresh window ]  
    Else  
        Set Field [ CON_kTrue\COL_kTrue::gOrg, CON_KTrue\NAV_KTrue::_gOrgRecordOrgName ]  
        Go to Layout [ EditOrg ]  
        [ Refresh window ]  
    End If  
End If
```

End If