

## Nav-EditPCLData

# "This script is called by LOTS of other scripts and buttons. Locates PCL data and populates correct edit forms for individuals, family, and org record types.

The \_gCurrContactLocationID relationships could probably be replaced/optimized at a later date. BS 2/27/02"

# ""

**Perform Script** [ "Proc-MayEditAddressTest" ]  
[ Sub-scripts ]

# "makes a new blank Loc record unnecessarily. Disabled 051031 for ODP by LAP"

If [ 1=2 ]

**Perform Script** [ "Proc-TestForFamilyPCL" ]  
[ Sub-scripts ]

End If

# " If no Colo - create one now - use fact that PCL relation has create related records option set"

If [ IsEmpty(PCL::\_kTrue) ]

**Set Field** [ PCL:: kPCL, \_kContactID & "Yes" ]

**Set Field** [ PCL:: kContactID, \_kContactID ]

End If

**Set Field** [ \_gCurrContactLocationID, PCL::\_kContactLocationID ]

**Set Field** [ \_gContactLocationID, PCL::\_kContactLocationID ]

**Set Field** [ \_gLocationID, PCL::\_kLocationID ]

**Set Field** [ Sa CON gMenu\NAV kMenu:: gMakePCL, "" ]

# ""

# "Pull name information from current Contact record and place in globals for use in edit layout. Relationship CON\_kTrue~COL\_kTrue"

**Set Field** [ CON kTrue\COL kTrue:: gNamePrefix, NamePrefix ]

**Set Field** [ CON kTrue\COL kTrue:: gNameFirst, NameFirst ]

**Set Field** [ CON kTrue\COL kTrue:: gNameMiddle, NameMiddle ]

**Set Field** [ CON kTrue\COL kTrue:: gNameLast, NameLast ]

**Set Field** [ CON kTrue\COL kTrue:: gNameSuffix, NameSuffix ]

**Set Field** [ CON kTrue\COL kTrue:: gNameNickName, NameNickname ]

**Set Field** [ CON kTrue\COL kTrue:: gNameSalutation, \_ccNameSalutation ]

**Set Field** [ CON kTrue\COL kTrue:: gNameSorter, If(ContactRecordType = "Family" and (NameSortingDefault = ""), \_ccParseNameSortingDefault, \_ccNameSorter) ]

**Set Field** [ CON kTrue\COL kTrue:: gGreetingPerferred, GreetingPreferred ]

**Set Field** [ CON kTrue\COL kTrue:: gGreetingCustom, GreetingCustom ]

**Set Field** [ CON kTrue\COL kTrue:: gPhoneMobile, PhoneMobile ]

**Set Field** [ CON kTrue\COL kTrue:: gPhoneMobileTextMessage, PhoneMobileTextMessage ]

**Set Field** [ CON kTrue\COL kTrue:: gPhonePager, PhonePager ]

**Set Field** [ CON kTrue\COL kTrue:: gInternetChatID, InternetChatID ]

**Set Field** [ CON kTrue\COL kTrue:: gProfileNote, ProfileNote ]

**Set Field** [ CON kTrue\COL kTrue:: gURL, URL ]

**Set Field** [ CON kTrue\COL kTrue:: gSource, Source ]

**Set Field** [ CON kTrue\COL kTrue:: gContactRecordType, ContactRecordType ]

**Set Field** [ CON kTrue\COL kTrue:: gGroupLabelLine1, GroupLabelLine1 ]

**Set Field** [ CON kTrue\COL kTrue:: gGroupLabelLine2, GroupLabelLine2 ]

**Set Field** [ CON kTrue\COL kTrue:: gLegacyID, LegacyID ]

# ""

# "Set "\_gChangeName" to current full name"

**Set Field** [ CON kTrue\COL kTrue:: gChangeName, NamePrefix & NameFirst & NameMiddle & NameLast & NameSuffix ]

# ""

# "Get role and location information from ContactLocation and place in globals for use in edit layout. "

**Set Field** [ CON \_gCurrContactLocationID\COL kConLocationID:: gPhone, CON \_gCurrContactLocationID\COL kConLocationID::Phone ]

**Set Field** [ CON \_gCurrContactLocationID\COL kConLocationID:: gPhoneExtension, CON \_gCurrContactLocationID\COL kConLocationID::PhoneExtension ]

**Set Field** [ CON \_gCurrContactLocationID\COL kConLocationID:: gContactLocationName, CON \_gCurrContactLocationID\COL kConLocationID::ContactLocationName ]

```

Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gTitle, CON_gCurrContactLocationID\COL_kConLocationID::OrgTitle ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gOrg, CON_gCurrContactLocationID\COL_kConLocationID::Org ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gOrgCategory,
CON_gCurrContactLocationID\COL_kConLocationID::OrgCategory ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gOrgOfc, CON_gCurrContactLocationID\COL_kConLocationID::OrgOfc ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gOrgDept, CON_gCurrContactLocationID\COL_kConLocationID::OrgDept ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gEmail, CON_gCurrContactLocationID\COL_kConLocationID::Email ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gFax, CON_gCurrContactLocationID\COL_kConLocationID::Fax ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gValidStartMonth,
CON_gCurrContactLocationID\COL_kConLocationID::ValidStartMonth ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gValidStartDay,
CON_gCurrContactLocationID\COL_kConLocationID::ValidStartDay ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gValidEndDay,
CON_gCurrContactLocationID\COL_kConLocationID::ValidEndDay ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gValidEndMonth,
CON_gCurrContactLocationID\COL_kConLocationID::ValidEndMonth ]
# ""
# "Set "_gChangeEmail" to current email addy"
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gChangeEmail, CON_gCurrContactLocationID\COL_kConLocationID::Email
]
# ""
# "Now Pull Address information from Location and place in globals for use in edit layout. "
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gAddressLine1, CON_gLocationID\LOC_kLocationID::AddressLine1 ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gAddressLine2, CON_gLocationID\LOC_kLocationID::AddressLine2 ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gCity, CON_gLocationID\LOC_kLocationID::City ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gCounty, CON_gLocationID\LOC_kLocationID::County ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gStateProv, CON_gLocationID\LOC_kLocationID::StateProv ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gZIPPostalCode, CON_gLocationID\LOC_kLocationID::ZIPPostalCode ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gcZIP4, CON_gLocationID\LOC_kLocationID::ZIP4 ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gCountry, CON_gLocationID\LOC_kLocationID::Country ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gGMT, CON_gLocationID\LOC_kLocationID::GMT ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gTimeZone, CON_gLocationID\LOC_kLocationID::TimeZone ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gUTMNorthing,
CON_gLocationID\LOC_kLocationID::GEOCODEUTMNorthing ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gUTMEasting,
CON_gLocationID\LOC_kLocationID::GEOCODEUTMEasting ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::g_USPS_ADC, CON_gLocationID\LOC_kLocationID::USPS_ADC ]
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gAddressNote, CON_gLocationID\LOC_kLocationID::AddressNote ]
Go to Next Field
# ""
# "Set "_gChangeEmail" to current email addy"
Set Field [ CON_gCurrContactLocationID\COL_kConLocationID::gChangeAddress, CON_gLocationID\LOC_kLocationID::AddressLine1 &
CON_gLocationID\LOC_kLocationID::AddressLine2 & CON_gLocationID\LOC_kLocationID::City &
CON_gLocationID\LOC_kLocationID::StateProv & CON_gLocationID\LOC_kLocationID::ZIPPostalCode &
CON_gLocationID\LOC_kLocationID::ZIP4 & CON_gLocationID\LOC_kLocationID::Country ]
# ""
# "Set _gMakePrimary in Nav to Yes."
Set Field [ CON_KTrue\NAV_KTrue::gMakePCL, "Yes" ]
# " Comment out Find-Update - this causes record to always be modified, and isn't needed Chris Wagner 1/3/06"
If [ 1=2 ]
    Perform Script [ "Find-UpdateThisRecordFastFindFields" ]
    [ Sub-scripts ]
End If
# ""
# " Select appropriate layout based on record type and whether there is a location record or not"
If [ ContactRecordType = "Family" ]

```

## Nav-EditPCLData

---

```
If [ IsEmpty(PCL::_kLocationID) ]  
    Go to Layout [ EditFamilyNoLocation ]  
    [ Refresh window ]
```

**Else**

```
    Go to Layout [ EditFamily ]  
    [ Refresh window ]
```

**End If**

**Else**

```
If [ ContactRecordType = "Organization" ]
```

```
    If [ IsEmpty(PCL::_kLocationID) ]
```

```
        Go to Layout [ EditOrgNoLocation ]  
        [ Refresh window ]
```

**Else**

```
        Go to Layout [ EditOrg ]  
        [ Refresh window ]
```

**End If**

**Else**

```
If [ IsEmpty(PCL::_kLocationID) ]
```

```
    Go to Layout [ EditIndNoLocation ]  
    [ Refresh window ]
```

**Else**

```
    Go to Layout [ EditIndividual ]  
    [ Refresh window ]
```

**End If**

**End If**

**End If**

# ""

# " Goto ContactRecordType - which is a 'real' field (rather than a \_g field). If someone else is modifying the record"

# " this will bring up the FM warning about record in use."

**Go to Field** [ ContactRecordType ]

# " Please don't place cursor anywhere - that makes the record appear to be being modified."

# " Select a field NOT on this layout so get us out of any selection"

**Go to Field** [ ]

**Perform Script** [ "Admin-SetStatusBarBasedOnGroup" ]  
 [ Sub-scripts ]